

Cross-domain Modelling – A Network of Core Ontologies for the Circular Economy*

Eva Blomqvist^{1,**}, Huanyu Li^{1,2}, Robin Keskisärkkä¹, Mikael Lindecrantz³,
Mina Abd Nikooie Pour^{1,2}, Ying Li^{1,2} and Patrick Lambrix^{1,2}

¹Department of Computer and Information Science, Linköping University, Sweden

²Swedish e-Science Research Centre

³Ragn-Sells AB, Sweden

Abstract

Circular Economy (CE) aims to reduce value loss and avoid waste by extending the life of products, components, and materials. Circular value networks (CVN), i.e. networks of actors realising parts of the CE, are often complex and involving a multitude of actors, such as suppliers, manufacturers, recyclers, and end-users, from different industry sectors. In addition, the networks enable and manage various flows of resources, energy, information and value. To set up and operate such networks, data sharing is essential, however, one of the main challenges is semantic interoperability, and as a result data are difficult to understand, integrate, and use. Ontologies support semantic interoperability, and can represent domain knowledge and enable stakeholders to communicate. However, the knowledge domains involved are many, including sustainability, materials, products, manufacturing, and logistics, where well-established ontologies already exist. In addition, these domains need to be connected to relevant industry sectors. In order to bridge these domains we propose a set of core ontology modules, allowing to express links between existing ontologies as well as filling gaps related to core CE concepts.

Keywords

Circular Economy, Cross-Industry Domain, Ontology, Ontology Network

1. Introduction

Circular Economy (CE) as defined by the European Union, is a model of production and consumption, which aims to share, lease, reuse, repair, refurbish and recycle existing materials and products as long as possible¹. In this way, materials or product parts can be circulated

14th Workshop on Ontology Design and Patterns (WOP 2023) - Colocated with the 22nd International Semantic Web Conference (ISWC 2023) November 6-10, 2023. Athens, Greece

* Author contributions: Overall project idea by EB and ML. Method and architecture of the ontology network by EB. Implementation of modules by EB, HL, and RK, reviewed by ML. Survey on related ontologies by HL, MAN and YL, feedback by PL. Draft paper by EB, with sections from ML, HL and RK, reviewed/edited by remaining authors.


** Corresponding author.

✉ eva.blomqvist@liu.se (E. Blomqvist); huanyu.li@liu.se (H. Li); robin.keskisarkka@liu.se (R. Keskisärkkä); mikael.lindecrantz@ragnsells.com (M. Lindecrantz); mina.abd.nikooie.pour@liu.se (M. A. N. Pour); ying.li@liu.se (Y. Li); patrick.lambrix@liu.se (P. Lambrix)

🌐 <https://liu.se/en/employee/evabl45> (E. Blomqvist)

🆔 0000-0003-0036-6662 (E. Blomqvist); 0000-0002-9084-0470 (P. Lambrix)

© 2023 Copyright for this paper by its authors. Use permitted under Creative Commons License Attribution 4.0 International (CC BY 4.0).

📄  CEUR Workshop Proceedings (CEUR-WS.org)

¹<https://www.europarl.europa.eu/news/en/headlines/economy/20151201STO05603/circular-economy-definition-importance-and-benefits>

before they become waste, which will reduce value loss and avoid waste. Taking into account a product's entire life cycle is necessary to design and enable a CE strategy. This includes answering questions such as what raw materials are needed, how the materials are dealt with in the manufacturing process, how the products are distributed in a supply chain, what strategies can be used for reusing, refurbishing, and remanufacturing products, and finally recycling their materials in different end of life scenarios. In order to address these concerns, stakeholders from various industry domains need to be involved, including material suppliers, manufacturers, brands and retailers, end-users, repair and maintenance shops, collectors, sorters, and recyclers. Therefore, sharing data in a secure, quality assured, and automated way among these actors is necessary in a CE. However, there is a challenge in making decentralized data and information from actors across industry-sectors understandable and usable by both humans and machines. As explained in [1], leveraging open standards for semantic data interoperability and establishing a shared network of ontologies for data documentation is a starting point to address such a semantic interoperability challenge, and the aim of our ongoing project *Onto-DESIDE*².

In this paper we summarise our initial results towards this aim, in terms of the outline of an ontology network, that is grounded in a careful analysis of existing ontologies and requirements. An ontology network is a "*collection of ontologies related together via a variety of relationships, such as alignment, modularization, version, and dependency*" [2]. We also exemplify the use of the network in two industry sectors. The main novelty and contribution of our work is the use of an ontology network, playing the role of both a "pattern language"³ and a core ontology, for a complex cross-domain use case such as CE. Still to this date the most common approach is to create monolithic ontologies, that are hardly reusable outside their original set of requirements, while we show the feasibility of creating truly reusable ontologies via a modular approach. While the full evaluation of the network, and alignments to existing ontologies is still future work, our current results show the feasibility and usefulness of our approach, and highlight the importance of a modular design and the use of Ontology Design Patterns (ODP).

2. Related Work

In [4] we already presented a comprehensive survey of ontologies related to both the CE domain, and related topics. The survey found 37 existing ontologies, related to the topics of CE and sustainability, materials, as well as products, manufacturing, and logistics.

In the case of materials ontologies, several ontologies exist that cover the topic of materials, at different levels of granularity, and from different perspectives. In this area, there are ongoing efforts for unifying existing materials ontologies, c.f. the EMMO ontology⁴, and OntoCommons⁵. Hence, in this area our contribution will be mainly to ensure appropriate alignments to these ontologies, making sure that the needed perspectives and level of granularity of CE-specific use cases are covered. For instance, we note that in relation to CE, the notion of "material" itself is a context-dependent concept, where usually the materials required as input for the processes of

²<https://ontodeside.eu>

³In the sense of an organised coherent set of patterns, c.f. [3].

⁴<https://github.com/emmo-repo/EMMO>

⁵<https://ontocommons.eu/>

one actor may actually refer to the product (output) produced by the previous actor in a flow. Hence, one of our main contributions will be to cater for such flexible modelling.

Similar, in the case of products, manufacturing, and logistics, there is a large number of ontologies available. However, many of them are quite specific to a certain type of process or industry domain, hence, our main contribution will be to provide generalised concepts that can map between more specialised ontologies, and cater for extensions into currently uncovered industry sectors. Exactly which ontologies to align with, however, remains future work.

Finally, regarding the notion of CE itself. First, we note that few core ontologies for CE can be found. Most target very specific use cases in specific industry domains. However, in [5] two ontologies are presented, i.e. the Circular Materials and Activities Ontology (CAMO) and the Circular Exchange Ontology (CEO), but these ontologies also target the construction domain specifically. Still, in [6] CEO and CAMO are used also for representing textile data, and in [7] for a Materials Passport Ontology. Further, in [8], an ontology is developed for the Circular Economy Monitor, to describe materials flows. Several ontologies have also been proposed for CE business modelling, e.g. [9, 10, 11]. Finally, there are also some ontologies focusing on specific circular strategies, such as recycling, e.g. [12]. The above examples are all efforts to enable the usage of ontologies for CE in practice, but where the ontologies are either not publicly available, not published according to FAIR principles, e.g. not accessible or documented, or target only a specific industry sector. There are also gaps in terms of modelling circular value networks (CVNs) themselves, i.e. configurations of actors that collaborate, which this work addresses. Hence, our conclusion is that the CE domain is currently not sufficiently covered by any ontology, at a general level, and while we will attempt to align to existing CE ontologies publicly available, this is the area where most modelling contributions should be made.

Still, an important note is that our target is broader than either of these listed domains. In fact, our target is to connect these domains. Although some of the surveyed ontologies do touch upon more than one domain, there is no ontology that covers all the needed aspects of CE. Additionally, most of the ontologies found are monolithic, i.e. do not have a modular structure, nor do they make their basic modelling assumptions explicit in the form of the ODPs they use. Whereas our belief is that any monolithic ontology for CE is bound to fail, due to the complexity and the cross-domain nature of CE. Instead, we strongly advocate a catalogue of ODPs, i.e. a “pattern language” for CE, as well as an ontology network that specialises such ODPs, which can then be configured and extended in any specific CE setting.

3. Method

In this section we present the methodology applied. This includes a brief account of the overall project methodology, setting the context, as well as more details on the specific ontology engineering methodology, and some notes on the FAIR publishing of the ontology network.

3.1. Project Methodology

The overall project research methodology divides our work into three iterations. In the current (first) project iteration the intention is to create a first prototype of a data sharing platform for CE data, where the ontology network presented in this paper constitutes the backbone for

semantic data interoperability, sharing, and querying. However, it is important to note that the prototype, including ontology modules, will certainly change in the coming two iterations.

Nevertheless, as a starting point for the ontology engineering process, we rely on a needs and requirements analysis done at the start of the project. This needs analysis was performed using a CE-specific analysis framework, called Circularity Thinking⁶ [13, 14], which allows for detailed analysis and mapping of current flows and ways of working, as well as to outline desired flows, e.g. by applying more circular strategies, such as reuse, refurbishment, remanufacturing, or recycling. This needs analysis was done in the three project use cases, originating in the textile, electronics, and construction industries respectively[15]. The mapping of the intended future circular value flows were then transformed into a set of project requirements, collected in the form of user stories, and analysed in terms of their overlaps and cross-cutting concerns[16].

3.2. Ontology Engineering Methodology

There is a trade-off between modularity and architectural complexity of the ontology network to be developed. However, when modelling for the CE domain it is clear that we need to prioritise modularity over a simpler ontology architecture, to (i) increase the reuse potential of the ontologies, (ii) separate concerns and allow for alternative models, and alignments to different related ontologies, for certain specific domains, and (iii) increase the understandability of the notions we are modelling. This clearly follows from the fact that the domain of CE is highly diverse, and it would simply be impossible to model all aspects and all possible industry sectors in a single ontology. In addition, it is highly likely that circular value networks change over time, hence, modelling so that changes have minimal effect on the overall solution is essential. Therefore we envision the situation where an ontology for a specific use case can be composed from a library of modules (and ODPs), and existing ontologies in that domain. Thus it will be tailored to a specific CE use case, but where interoperability is still ensured by having a set of core ODPs shared by all specific ontology modules. This is the motivation for targeting an ontology network, composed of modules, instead of one (or a set of) larger ontologies.

The small set of core modules that are to be shared throughout the ontology network, can be viewed as a coherent set of shared ODPs, i.e. a “pattern language”. In practice they will be represented as well-documented ontology modules, but with a minimal ontological commitment to be as reusable as possible (c.f. points (i) and (iii) above). These will constitute the core of the ontology network, and will then be reused and specialised (i.e. extended with further details), aligned to external ontologies etc., to fully cover any set of requirements (c.f. the flexibility requirement in point (ii) above). By taking this highly modular approach we ensure that the core modules can also be reused independently of the rest of the ontology network.

Given these architecture principles, we then needed to select an appropriate ontology engineering methodology. It is clear that the methodology had to be suitable for creating highly modular ontologies, reusing and developing ODPs, and it needed to be highly agile, since not all requirements are known beforehand and access to domain experts is limited so some modelling decision may have to be revised later on. Given these methodological requirements, we mainly considered agile ontology engineering methodologies, such as eXtreme Design (XD)

⁶<https://www.climate-kic.org/spotlight-initiatives-2/circularity-thinking-programme/>

[17], SAMOD [18], and the modular ontology development suggested in [19] (as a variant of XD). Other methodologies that inspired our work includes *test-driven development* [20], and the *iterative evolution* of ontologies, such as DILIGENT [21], however, neither of these fulfil all the requirements listed above. As the basis of our work we have selected the XD methodology, mainly because it is well-established and has been applied in many documented use cases and projects, it is highly focused on both the use and production of ODPs, and it allows for rapid prototyping of ontology modules, which is suitable for our iterative project methodology. However, XD also had to be slightly adapted, i.e. mainly the following four adaptations have so far been considered, in relation to the original description of XD in [17]:

1. Less focus on the initial scoping of the ontology – The scope is allowed to emerge from the emerging set of requirements.
2. No fixed set of external resources identified at the project start – The set of external ontologies and non-ontological resources to relate and align to is allowed to emerge and evolve over time.
3. Increased attention to architectural principles and patterns – A core set of shared modules (ODPs) are first created, as the backbone of the ontology network.
4. A modified process regarding requirements analysis – Requirements are developed outside of the development loop, and core requirements (requirements of core concepts and cross-cutting notions) are all formulated before modelling of those modules start.

3.3. FAIR Ontology Publishing

Once ontologies have been modelled, they also need to be shared with the community. To guide and support the sharing of scientific results in general, and artefacts in particular, the FAIR principles were proposed [22]. To adhere to these principles, the ontologies will be represented using the W3C standard OWL⁷, use permanent URIs as identifiers based on a persistent URI service, i.e. the w3id service⁸, while the source files will be available both from an open source service (GitHub)⁹, where we handle issues, change requests, and ontology versioning, and when stable they will be registered in indexing services such as LOV¹⁰ and the ODP portal¹¹. In order to ensure interoperability of the ontologies themselves, the ontologies will also be linked to standard ontologies, and aligned with other relevant industry standards. In the related work section of this paper we briefly report on our recent survey of related ontologies.

By developing the core of the ontology network in a modular and extensible fashion we ensure reusability across industry sectors, i.e. the possibility to specialise the ontologies for any industry domain in the future, and by developing such specialisations for three specific industry use cases (two of them discussed in this paper) we exemplify and evaluate the reusability of the ontologies. The ontologies are also published under an open licence.

⁷<https://www.w3.org/OWL/>

⁸We use the base URI <https://w3id.org/CEON>

⁹<https://liusemweb.github.io/CEON/>

¹⁰<https://lov.linkeddata.es/>

¹¹<http://ontologydesignpatterns.org/>

Documentation is another important aspect and the project leverages pyLODE¹² for generating web-friendly documentation directly from the ontology files. Additionally, we employ OWL2VOWL¹³ and WebVOWL¹⁴ to generate interactive visualizations, providing an easy to understand overview of each ontology on their respective documentation page.

4. The Circular Economy Ontology Network (CEON)

In this section we outline the results of our work, i.e. the ontology requirements, the network outline and list the modules being released.

4.1. Ontology Requirements

In order to design the ontology network, we have studied (1) existing ontologies and non-ontological knowledge sources in the area [4], and (2) a set of ontological requirements, coming from industry use cases in three different sectors (textile, electronics, and construction) [23]. The set of ontologies surveyed in [4] consists of 37 related ontologies. Our ontology requirements consist of 73 ontology stories each with a related set of Competency Questions (CQs) [23], where we have initially chosen to focus on the ones that appear in more than one of the industry use cases, i.e. cross-cutting notions and concepts. Each ontology module is annotated with a lists of the requirements it targets, using the numbering of [23]. For an intuition of the kind of CQs we have elicited, the following is an example from story CUS0 (construction sector), related to actors and roles, where the CQs were deemed to be relevant across use cases:

- C0-1: What are the actors involved in this value network?
- C0-2: What are the roles of this actor in this network?

4.2. Network Overview

To create an appropriate set of core ontologies, we have first identified the core topics based on the requirements discussed above. An overview, in the form of an informal illustration is displayed in Figure 1. Note that the boxes do not represent concepts, but rather areas (i.e. topics), that each are covered by one or more ontology modules. The dark blue boxes contain new concept definitions, i.e. modules introduced by our network, while the light blue box (location) indicates reuse of existing ontologies. The lines between boxes indicate relations between the topics as mentioned in our requirements set, but are in the actual implementation of the ontology network replaced by formal relations between modules, e.g. `owl:import` and/or concept references across module boundaries, as well as alignments and dedicated properties.

4.3. Ontology Modules

In our first release we have included three abstract ODPs, i.e. modelling processes, actors and resources. The rationale for claiming these modules to be ODPs is mainly that they are entirely

¹²<https://github.com/RDFLib/pyLODE>

¹³<https://github.com/VisualDataWeb/OWL2VOWL>

¹⁴<https://github.com/VisualDataWeb/WebVOWL>




Figure 1: Informal illustration of the core topics of the ontology network.

independent of the CE domain, i.e. they simply represent patterns of modelling these abstract notions, but refrain from including any specific conceptualizations related to CE. Our intention is further to, in future releases, include alignments between these ODPs and top level and foundational ontologies, such as DUL, in separate alignment modules.

Our focus in this first release has been on the central CVN module, and the modules for process, actor, and material/product. The value module is so far not elaborated, partly due to its close connection to ongoing work on standardising CE terminology in ISO/TC 323¹⁵. Hence, this module so far consists only of a “stub” for further extension in future releases. Additionally, the materials and product modules, as specialisations of the resource ODP, will be further extended in the next release, due to a limited coverage of the ontology requirements in the current release. The ontology modules are published publicly via GitHub, under a permanent w3id URI⁸ and further documented and maintained in our GitHub repository⁹.

4.3.1. Actor ODP and Actor Module

The Actor ODP¹⁶ is at its core a variant of the common participation¹⁷ and participant role¹⁸ ODPs, although where the “event” in those patterns have been interpreted very generic, as any context with a time extent. Hence, the core concept is a participation relation (i.e. a reified relation), named `Participation`, that relates an `Actor`, to either a `Resource` or a `Process` where the actor is holding a specific `Role`. The participation may be indexed with time and spatial context. An actor can also be associated with an `ActorType` and have a certain `Capability`, which is used in the participation in a process.

The Actor module¹⁹, specialises this pattern by adding concrete CE-relevant roles, both for processes (e.g. collector, sorter, recycler, remanufacturer) and resource relations (e.g. owner, issuer, holder, seller, buyer). An example of a participation in a resource relation is an organisation (actor) that owns (role) a certain batch of recyclable material (resource) at a certain point

¹⁵<https://www.iso.org/committee/7203984.html>

¹⁶<https://liusemweb.github.io/CEON/ontology/actorODP/0.1/index.html>

¹⁷<http://ontologydesignpatterns.org/wiki/Submissions:Participation>

¹⁸<http://ontologydesignpatterns.org/wiki/Submissions:ParticipantRole>

¹⁹<https://liusemweb.github.io/CEON/ontology/actor/0.1/index.html>

in time. An example of a participation in a process is an organisation (actor) that acts as the collector and sorter (roles) in a recycling process, as a prerequisite to the recycling.

4.3.2. Resource ODP and Material & Product Modules

The Resource ODP²⁰ is merely a small top level ontology for resources, identifying two types of resources; `PhysicalObject`, and `Information`. Where physical objects in turn are composed of certain `Matter`, and may have some `Constituent` that is in turn another physical object. The Materials module²¹ specialises this ODP by adding `MaterialComponent` as a subclass of `Constituent`, and `Material` and `ChemicalEntity` as subclasses of `Matter`. This is in line with the top structures of current materials ontologies, to which alignments are planned in separate modules, and allows for modelling of materials at various levels of granularity. The Product module²² in turn specialises the ODP by adding `Product` as a subclass of `PhysicalObject` and `ProductComponent` as a certain kind of `Constituent`. As mentioned earlier, these modules are not intended to introduce new notions but merely cover the aspects relevant for CE, with minimal ontological commitment to maximise reusability, and allow for alignments with existing, more detailed, materials and products ontologies.

4.3.3. Process ODP and Process Module

The Process ODP²³ distinguishes between a `Process` and its concrete `ProcessExecution`, and also models the composition of processes from other processes, and their ordering. In addition, a particularly important kind of process, in the CE context, is a `Transformation` that takes some input and transforms it to some output, i.e. moves the current state from one situation (context) to another (c.f. the `Transition` ODP in the ODP portal²⁴). In particular, the Process module²⁵ specialises such transformation processes, and lists the typical processes involved in a CE, such as dismantling, deconstruction, refurbishment, recycling, reuse, and take-back processes, although their detailed transitions are still to be added in future releases.

4.3.4. Circular Value Network Module

The CVN module²⁶ models a CVN as a kind of `Collaboration` between actors, that implements some `CircularStrategy` aiming to produce some `Value`²⁷. An important notion is also the one of a CVN blueprint, which intuitively corresponds to a plan, in the sense of the difference between a plan and its execution (e.g. inspired by ODPs such as `TaskExecution`²⁸). Hence, the module intends to make it possible to describe an envisioned value network, i.e. the “plan” or blueprint of it, without knowing what exact actors will fill the needed roles and capabilities.

²⁰<https://liusemweb.github.io/CEON/ontology/resourceODP/0.1/index.html>

²¹<https://liusemweb.github.io/CEON/ontology/material/0.1/index.html>

²²<https://liusemweb.github.io/CEON/ontology/product/0.1/index.html>

²³<https://liusemweb.github.io/CEON/ontology/processODP/0.1/index.html>

²⁴<http://ontologydesignpatterns.org/wiki/Submissions:Transition>

²⁵<https://liusemweb.github.io/CEON/ontology/process/0.1/index.html>

²⁶<https://liusemweb.github.io/CEON/ontology/cvn/0.1/index.html>

²⁷Value could be economic, but also social or environmental value. It is currently only modelled as a stub.

²⁸<http://ontologydesignpatterns.org/wiki/Submissions:TaskExecution>

This is important both for use cases where the task is to find such actors to fill certain gaps in the network, but also for being able to describe abstract network blueprints that can act as templates for future instantiation of similar networks, but with potentially different actors.

5. Application in Use Case Examples

The end goal of the network is to bridge the silos of industry sectors, and allow cross-domain interoperability. However, the first step in the evaluation is to show the applicability of the modules within different industry sectors. We do not yet have full evaluation results, but we present examples from two of the sectors in our project.

5.1. Textile Use Case

In the textile use case of our project the scenario revolves around circularity assessments, and certifications, to be presented to consumers when buying footwear products with recycled content. For instance, answering consumer questions like “How circular is this shoe?”. But also for being able to improve fibre recycling post-use, by maintaining a trace of the material content of footwear, without exposing trade secrets of the material providers. For this use case, a Product Circularity Data Sheet (PCDS)[24] is extended with additional variables for textile materials, and the sheet is then modelled using the ontology network. This makes data semantically interoperable throughout the supply chain, and usable for certification, for presentation to footwear customers, and for recyclability assessments when collecting used footwear.

In the initial setup, the main ontology modules used are the Actor module, for describing actors providing data for the sheet, and the certification authorities, as well as the Product and Materials modules, for describing material content. Hence, rather than having to include the full network, we can utilize the modular structure and pick the modules that are relevant in this case, and specialise only those. A small example of modelling the PCDS using the Actor and Product modules is depicted in Figure 2. Illustrations use the Grafoo notation²⁹, with the addition of dashed boxes to illustrate the origin of the classes and instances, instead of prefixes.

5.2. Construction Use Case

In the construction use case the scenario revolves around a take-back system for floor tiles, where a trace needs to be kept of the use of the floor tiles in various buildings, in order to be able to retrieve them and send them back to the manufacturer when they are dismantled from the building (e.g. when it is renovated or demolished many years later).

In the initial setup for this use case, the CVN and Actor modules are used to describe the connections between actors, e.g. manufacturers and sellers of floor tiles, building owners as the users of the product, and the manufacturer again in their role as customers of used tiles in the take-back process, i.e. for reusing, refurbishing, or recycling the tile material. In addition, certain properties of the tiles also have to be described, i.e. both at the level of product data, as well as data about individual tiles, such as their location in a certain building and the recommended

²⁹<https://esepuntato.it/graffoo/specification/>




Figure 2: Excerpt of example usage of the modules in the textile use case scenario (detailed product material parameters in the PCDS data sheet omitted for readability).

method for dismantling the floor. In this case the focus is on different modules, compared to the textile example above, i.e. here the CVN and roles of the actors is in focus. A small example of modelling a network using the Actor and CVN modules is depicted in Figure 3.




Figure 3: Excerpt of example usage of the modules in the construction use case for expressing data about a collaboration where a manufacturer uses a recycling company to collect a product from buildings, and dismantle it, before the manufacturer reuses the material.

6. Concluding Remarks and Future Work

When analysing existing ontologies, we note gaps in coverage of central CE concepts, such as the CVN itself. In other domains on the other hand, e.g. materials and manufacturing, there are instead many overlapping ontologies and/or partly competing conceptualizations. Our

proposed solution is to create a set of ODPs, i.e. a “pattern language”, and ontology modules that represent core concepts related to CE, in order to provide a core to which existing ontologies can be aligned, and in addition complement missing CE concepts. Alignments to existing ontologies are still part of future work, as well as validation of our modules in all industry use cases of *Onto-DESIDE*, and validation of the core CE concepts against emerging standards, such as the CE terminology and definitions by ISO/TC 323. However, we can still conclude that the approach has proven feasible and useful, in initial modelling exercises of the project. Together with the extended methodology, FAIR publishing, and the high degree of modularisation we see this as a step towards true ontology reusability, even in cross-domain scenarios such as CE.

Future work includes (i) the creation of alignment modules, to connect our network to ontologies found in our survey, and (ii) to perform a more extensive evaluation, involving actual data exchange through the Solid-based *Onto-DESIDE* data exchange platform, and to extend the evaluation to encompass cross-sectorial data exchange. Further work involves to more deeply study the methodological implications of ontology engineering for this setting, i.e. to adapt XD further to highly distributed and highly agile settings, where ODPs are created alongside the ontology modules as requirements emerge and commonalities are discovered.

Acknowledgments

This work has received funding from the European Union’s Horizon Europe research and innovation programme under grant agreement no. 101058682 (*Onto-DESIDE*), the Swedish e-Science Research Centre (SeRC), the Swedish National Graduate School in Computer Science (CUGS), and the Swedish Research Council (Vetenskapsrådet, dnr 2018-04147).

References

- [1] E. Blomqvist, M. Lindecrantz, F. Blomsma, P. Lambrix, B. De Meester, Decentralized digital twins of circular value networks—a position paper, in: Proc. of SeDIT co-located with ESWC 2022, volume 3291 of *CEUR-WS*, 2022.
- [2] M. C. Suárez-Figueroa, A. Gómez-Pérez, E. Motta, A. Gangemi, Introduction: Ontology Engineering in a Networked World, Springer, 2012, pp. 1–6.
- [3] S. I. Christopher Alexander, M. Silverstein, A PATTERN LANGUAGE - Towns, Buildings, Construction, Oxford University Press, 1977.
- [4] H. Li, M. Abd Nikooie Pour, Y. Li, M. Lindecrantz, E. Blomqvist, P. Lambrix, A Survey of General Ontologies for the Cross-Industry Domain of Circular Economy, in: Companion Proc. of the ACM Web Conference 2023, ACM, 2023.
- [5] E. Sauter, R. Lemmens, P. Pauwels, CEO and CAMO ontologies: a circulation medium for materials in the construction industry, in: 6th International Symposium on Life-Cycle Civil Engineering (IALCCE), CRC Press, 2018.
- [6] E. Sauter, M. Witjes, Linked Spatial Data for a Circular Economy: Exploring its potential through a Textile Use Case, in: Proc. of the Posters and Demos Track of SEMANTiCS 2017, volume 2044, *CEUR-WS.org*, 2017.

- [7] F. Kedir, D. F. Bucher, D. M. Hall, A Proposed Material Passport Ontology to Enable Circularity for Industrialized Construction, in: Proc. of the 2021 European Conference on Computing in Construction, Rhodes, Greece, 2021.
- [8] R. Sileryte, A. Wandl, A. van Timmeren, A bottom-up ontology-based approach to monitor circular economy: Aligning user expectations, tools, data and theory, *Journal of Industrial Ecology* (2021).
- [9] J. S. Mboli, D. Thakker, J. L. Mishra, An Internet of Things-enabled decision support system for circular economy business model, *Software: Practice and Experience* 52 (2022).
- [10] A. Upward, P. Jones, An Ontology for Strongly Sustainable Business Models: Defining an Enterprise Framework Compatible With Natural and Social Science, *Organization & Environment* 29 (2016).
- [11] A. M. Martín Gómez, F. Aguayo González, M. Marcos Bárcena, Smart eco-industrial parks: A circular economy implementation based on industrial metabolism, *Resources, conservation and recycling* 135 (2018).
- [12] A. Pacheco-López, A. Somoza-Tornos, E. Muñoz, E. Capón-García, M. Graells, A. España, Synthesis and assessment of waste-to-resource routes for circular economy, in: *Computer Aided Chemical Engineering*, volume 48, Elsevier, 2020.
- [13] F. Blomsma, Collective ‘action recipes’ in a circular economy – on waste and resource management frameworks and their role in collective change, *Journal of Cleaner Production* 199 (2018) 969–982. doi:10.1016/j.jclepro.2018.07.145.
- [14] F. Blomsma, M. Tennant, R. Ozaki, Making sense of circular economy: Understanding the progression from idea to action, *Business Strategy and the Environment* 32 (2022) 1059–1084. doi:10.1002/bse.3107.
- [15] T. Oberhauser, L. Ameel, T. Wautelet, C. Lütke, D6.1 - Use Case Needs Analysis and Circular Value Flow Mapping, 2022. URL: <https://ontodeside.eu/>.
- [16] M. Lindecrantz, et al., D2.1 - Project Requirement Specification and Research Methodology, 2022. URL: <https://ontodeside.eu/>.
- [17] E. Blomqvist, K. Hammar, V. Presutti, Engineering ontologies with patterns-the extreme design methodology., *Ontology Engineering with Ontology Design Patterns* (2016) 23–50.
- [18] S. Peroni, A simplified agile methodology for ontology development, in: *OWL: Experiences and Directions–Reasoner Evaluation*, Springer, 2016, pp. 55–69.
- [19] C. Shimizu, K. Hammar, P. Hitzler, Modular ontology modeling, *Semantic Web Preprint* (2022) 1–31. doi:10.3233/SW-222886, publisher: IOS Press.
- [20] C. M. Keet, A. Ławrynowicz, Test-driven development of ontologies, in: *European Semantic Web Conference*, Springer, 2016, pp. 642–657.
- [21] H. S. Pinto, C. Tempich, S. Staab, Ontology engineering and evolution in a distributed world using diligent, in: *Handbook on Ontologies*, Springer, 2009.
- [22] M. D. Wilkinson, et al., The FAIR guiding principles for scientific data management and stewardship, *SCIENTIFIC DATA* 3 (2016) 160018:1–9. doi:10.1038/sdata.2016.18.
- [23] E. Blomqvist, H. Li, M. Lindecrantz, M. Abd Nikooie Pour, Y. Li, D3.1 - Ontology network architecture, methodology and alignment plan, 2023. URL: <https://ontodeside.eu/>.
- [24] ISO, ISO/WD 59040 Circular Economy - Product Circularity Data Sheet, 2022. URL: <https://www.iso.org/standard/82339.html>, accessed: 2023-02-03, under development.